

Testosterone Enantate

MADE IN GERMANY

Solution for Injection



250 mg
1 ml

Testosterone Enantate is a testosterone replacement therapy for male hypogonadism, when testosterone deficiency has been confirmed by clinical symptoms and biochemical tests.

- **A long-acting testosterone formulation** designed for steady and sustained hormone release over time
- **Oil-based Solution** – Ensures a slow, controlled absorption following intramuscular injection
- Available in **ampoules**



www.everpharma.com

 **EVER**
PHARMA

Testosterone Enantate

MADE IN GERMANY

Solution for Injection

Indications	Testosterone Enantate is indicated for testosterone replacement therapy for male hypogonadism, when testosterone deficiency has been confirmed by clinical features and biochemical tests.
Active Ingredient	Testosterone enantate
Excipients	Benzyl benzoate, Castor oil
Presentation	250 mg/1ml solution for injection
Strength	Each 1 ml ampoule contains 250 mg testosterone enantate corresponding to 180 mg testosterone.
Stability	Unopened: 30 months, does not require any special storage conditions.
Primary Packaging	1 ml solution in an amber glass ampoule.
Pack sizes	1, 3, 5, or 10 ampoules per pack.

Testosterone Enantate EVER Pharma 250 mg/ml Solution for Injection. Composition: Each 1 ml ampoule contains 250 mg testosterone Enantate corresponding to 180 mg testosterone. List of excipients: Benzyl benzoate, Castor oil, refined. Therapeutic indications: Testosterone replacement therapy for male hypogonadism, when testosterone deficiency has been confirmed by clinical features and biochemical tests. Contraindications: The use of Testosterone Enantate is contraindicated in men with Hypersensitivity to the active substance or to any of the excipients (listed in section 6.1), Androgen-dependent carcinoma of the prostate or of the male mammary gland, Hypercalcaemia, Past or present liver tumours and Adenoma of the prostate. The use of Testosterone Enantate in women is contraindicated. Possible side effects: Common: Haematocrit increased, Red blood cell count increased, Haemoglobin increased, Weight increased Other side effects: Benign tumour of liver, Malignant liver tumor, Polycythaemia, Hypersensitivity, Hypercalcaemia, Water retention, Depression, Anxiety, Headache, Paraesthesia, Disorder circulatory system, Abdominal disorder, Intra-abdominal haemorrhage, Nausea, Liver function test abnormal, Jaundice, Liver enlargement, Acne, Alopecia, Rash, Urticaria, Pruritus, Male pattern baldness, Premature epiphyseal closure, Bone formation increased, Injection site reaction, Asthenia, Oedema, Prostatic specific antigen increased, Libido increased, Libido decreased, Gynaecomastia, Prostatic disorder, Erection increased, Spermatogenesis abnormal, Precocious puberty. More information available in the summary of product characteristics. Only available on prescription. Last update: July 2024. Marketing Authorisation Holder: EVER Vallinjet GmbH, Oberburgau 3, 4866 Unterach am Attersee, Austria.